


Galvanised Ropes: 35x7 Non-Compacted

BS EN 12385

Finish: Galvanised

1960N Tensile Grade



Normal Diameter (mm)	Approx Mass (kg/100m)	Min Breaking Load (tonnes)	Min Breaking Force (kN)
8	29.10	4.6	45.20
9	36.80	5.8	57.20
10	45.40	7.2	70.60
11	54.90	8.7	85.40
12	65.40	10.4	102.00
13	76.70	12.1	119.00
14	89.00	14.1	138.00
16	116.00	18.5	181.00
18	147.00	23.4	229.00
20	182.00	28.8	282.00
22	220.00	34.9	342.00
24	262.00	41.4	406.00
26	307.00	48.6	477.00
28	356.00	56.4	553.00
32	465.00	73.7	723.00
36	588.00	93.2	914.00
38	656.00	104.0	1020.00
40	726.00	115.0	1130.00



Lifting Equipment
Engineers Association

